































































16

MANUAL LOG LOADING AT FEED SECTION TO SLICING STATION INDEX LOGS ONTO SUPPORT IN CUTTING AREA CUT CHUBS FROM LOGS WHILE SUPPORTING LOGS ON BOTH SIDES OF CUT CONVEY CHUBS TO HARPING STATIONS OF OPERATING UNITS INDEX CHUBS TO CHUB PUSHER MEMBER VIA TIMED ACTUATION OF POWER CYLINDERS AT HARPING STATIONS

RECIPROCATE HARPING

BLADES TO GENERATE SLICING

ACTION IN A BLADE SET

PUSH CHUB THROUGH RECIPROCATING BLADES TO FORM A STACK OF MEAT SLICES AT HARPING STATION DEPOSIT STACK IN RECEPTACLE OF INSERTION STATION ALIGN PACKAGE BELOW RECEPTACLE REST STACK GUIDE HEAD ON TOP OF STACK IN RECEPTACLE SHIFT GATE MEMBER TO ALIGN ITS APERTURE WITH BOTTOM OPENING IN RECEPTACLE GUIDE STACK FOR VERTICAL FALL THROUGH APERTURE AND

1ig. 38

OPENING AND INTO PACKAGE

WITH STACK GUIDE HEAD